


grazing lighting applique



grazing lighting

A sober and refined line: Passo is a product that catch the attention and can amaze for its ability to generate shadows and reflections. With the version made in corten steel the shapes and the volume of the product are highlighted while, with the version stainless steel, the colours of the surrounding environment are reflected, generating unexpected flashes. In its simplicity and purity, Passo can be installed in any type of environment,



DECORATIVE OUTDOOR LIGHTING



PASSO

grazing lighting

applique

IK 06

3 mm serigraphed extra-clear glass

110 x 145 mm

AISI 316L stainless steel inox

corten steel

3 m cable length

WHITE LED

3000K CRI>80 24V DC - 🕸

2700K / 4000K available on request



7,5W | 90 lm (*) 1 opening diffuse



98° x 30° 1390 cd/klm

(*) Real Data

details

Body in AISI 316L stainless steel or Corten with 3 mm thickness and ground fixing flange made of AISI 316L stainless steel. A4 Stainless steel screws. LED light sources integrated in the body to avoid vandalism. No visible screws. External power supply to be made externally with 24V DC constant current transformer, to be wired in parallel. The Corten version is treated with a fixing process aimed at reducing the steel oxidation. Pre-treatment with atmospheric pressure plasma is carried out on the surface before gluing of the diffuser on Platek products. The process guarantees the activation of the surface energy exactly where it is needed, thus promoting excellent wettability and removing any residual of release agents for a long lasting seal. The next steps are the coating of silicone and the assembly of the glass on the lighting fixture, with an automated process to guarantee the perfect sealing of the lamp.

standard finishes

